


BALSTONE

TRAVERTIN

Ivory · Light Travertin · Mix Travertin · Light Standart Travertin · Antique Mix Travertin · Commercial Travertin
EKO Travertin · Adouci Travertin · Silver Travertin · Silver Commercial Travertin · Bluestone · Parement
Mosaïque · Vasque · Pool Copings · Margelle · Scabas · Walnut

IVORY - 100



TILES




SLABS



BLOCK

Available Process




Honed




Polished



Brushed



Tumbled



Bevelled



Sawn



INTERIEUR
AMENAGEMENT



EXTERIEUR
AMENAGEMENT




MARGELLE



DALLAGE

Floor-Wall Tiles / DALLAGE



Dallage

40.6*61*1.2 cm

Opus 4 12 mm



Floor-Wall Tiles / DALLAGE

Finition Vieille "Tumbled"					
Le dallage	40,6*61*1.2 cm Opus 4 12 mm		Grand Format	40,6*61*1.2 cm - 3 cm Opus 4 12 mm - 3 cm Big Opus 15 mm 60*90*1.5 cm - 3 cm 60*60*1.5 - 3 cm	Plinthe 8*40,6*1.2 cm
	Petit Format :	10*10*1 cm 15*15*1.2 cm 20,3*20,3*1.2 cm 20,3*40,6*1.2 cm 40,5*40,5*1.2 cm	Les Pavés	10*10*3 cm - 5 cm 15*15*3 cm - 5 cm 20,3*20,3*3 cm - 5 cm 15*30*3 cm - 5 cm	Bordure 50*8*8 cm
Canniveau	25*61*3 cm				
Les Margelles					
Bord Droit	33*61*3 cm - 5 cm 33*100*3 cm - 5 cm 33*120*3 cm - 5 cm		Angle Sortant	Rond BD Droit BD	Angle entrant Bord Droit
Bord Arrondie	33*61*3 cm - 5 cm 33*100*3 cm - 5 cm 33*120*3 cm - 5 cm		Angle Sortant	Rond BA Droit BA	Angle entrant Bord Rond
				Margelle à Talon 61*33*3-1.2 cm	

LIGHT - 105



TILES




SLABS



BLOCK

Available Process



Honed




Polished



Brushed



Tumbled




Bevelled



Sawn



MIX - 103



TILES




SLABS



BLOCK


Available Process




Honed




Polished



Brushed




Tumbled



Bevelled



Sawn



INTERIEUR
AMENAGEMENT



EXTERIEUR
AMENAGEMENT



MARGE



DALLE

Floor-Wall Tiles / DALLAGE

Finition Vieille "Tumbled"						
Le dallage		40.6*61*1.2 cm				
		Opus 4 12 mm				
			Grand Format	40.6*61*1.2 cm - 3 cm	Plinthe	8*40.6*1.2 cm
				Opus 4 12 mm - 3 cm		
				Big Opus 15 mm		
				60*90*1.5 cm - 3 cm		
	Petit Format :	10*10*1 cm		60*60*1.5 - 3 cm		
		15*15*1.2 cm				
		20.3*20.3*1.2 cm				
		20.3*40.6*1.2 cm	Les Pavés		Bordure	50*8*8 cm
		40.5*40.5*1.2 cm		10*10*3 cm - 5 cm		
				15*15*3 cm - 5 cm		
				20.3*20.3*3 cm - 5 cm		
				15*30*3 cm - 5 cm		
Canniveau						
	25*61*3 cm					
Les Margelles						
Bord Droit			Angle Sortant		Angle entrant	
	33*61*3 cm - 5 cm			Rond BD		Bord Droit
	33*100*3 cm - 5 cm			Droit BD		
	33*120*3 cm - 5 cm					
Bord Arrondie			Angle Sortant		Angle entrant	
	33*61*3 cm - 5 cm			Rond BA		Bord Rond
	33*100*3 cm - 5 cm			Droit BA		
	33*120*3 cm - 5 cm					
					Margelle à Talon	
						61*33*3-1.2 cm




INTERIEUR
AMENA
GEMENT

EXTERIEUR
AMENA
GEMENT

MARGELLE


DALLAGE

Floor-Wall Tiles / DALLAGE




Dallage
40.6*61*1.2 cm
Opus 4 12 mm

ROUSTIQUE - 108



TILES




SLABS



BLOCK

Available Process




Honed




Polished



Brushed



Tumbled



Bevelled



Sawn



ANTIQUE MIX - 102



TILES




SLABS



BLOCK


Available Process




Honed




Polished



Brushed



Tumbled



Bevelled



Sawn



INTERIEUR
AMENAGEMENT



EXTERIEUR
AMENAGEMENT




MARGELLE



DALLAGE

Floor-Wall Tiles / DALLAGE



Dallage

40.6*61*1.2 cm


Opus 4 12 mm



Floor-Wall Tiles / DALLAGE

Finition Vieille "Tumbled"					
Le dallage	40,6*61*1.2 cm Opus 4 12 mm		Grand Format	40,6*61*1.2 cm - 3 cm Opus 4 12 mm - 3 cm Big Opus 15 mm 60*90*1.5 cm - 3 cm 60*60*1.5 - 3 cm	Plinthe 8*40,6*1.2 cm
	Petit Format :	10*10*1 cm 15*15*1.2 cm 20,3*20,3*1.2 cm 20,3*40,6*1.2 cm 40,5*40,5*1.2 cm			
			Les Pavés	10*10*3 cm - 5 cm 15*15*3 cm - 5 cm 20,3*20,3*3 cm - 5 cm 15*30*3 cm - 5 cm	Bordure 50*8*8 cm
Canniveau	25*61*3 cm				
Les Margelles					
Bord Droit	33*61*3 cm - 5 cm 33*100*3 cm - 5 cm 33*120*3 cm - 5 cm		Angle Sortant	Rond BD Droit BD	Angle entrant Bord Droit
Bord Arrondie	33*61*3 cm - 5 cm 33*100*3 cm - 5 cm 33*120*3 cm - 5 cm		Angle Sortant	Rond BA Droit BA	Angle entrant Bord Rond
				Margelle à Talon 61*33*3-1.2 cm	

COMMERCIAL - 109



TILES




SLABS



BLOCK

Available Process




Honed




Polished




Brushed



Tumbled



Bevelled



Sawn



EKO - 111



TILES




SLABS



BLOCK


Available Process




Honed




Polished



Brushed



Tumbled



Bevelled



Sawn



INTERIEUR
AMENA
GEMENT



EXTERIEUR
AMENA
GEMENT



MARGELLE



DALLAGE

Floor-Wall Tiles / DALLAGE



Dallage

40.6*61*1.2 cm

Opus 4 12 mm



INTERIEUR
AMENAGEMENT

EXTERIEUR
AMENAGEMENT

MARGELLE


DALLAGE

Floor-Wall Tiles / DALLAGE



Dallage
40.6*61*1.2 cm
Opus 4 12 mm

SCABAS



TILES



SLABS



BLOCK

Available Process



Honed



Polished



Brushed



Tumbled




Bevelled



Sawn





Floor-Wall Tiles / DALLAGE					
Finition Vieille "Tumbled"					
Le dallage	40,6*61*1.2 cm Opus 4 12 mm		Grand Format	40,6*61*1.2 cm - 3 cm Opus 4 12 mm - 3 cm Big Opus 15 mm 60*90*1.5 cm - 3 cm 60*60*1.5 - 3 cm	Plinthe 8*40,6*1.2 cm
	Petit Format :	10*10*1 cm 15*15*1,2 cm 20,3*20,3*1.2 cm 20,3*40,6*1.2 cm 40,5*40,5*1,2 cm	Les Pavés	10*10*3 cm - 5 cm 15*15*3 cm - 5 cm 20,3*20,3*3 cm - 5 cm 15*30*3 cm - 5 cm	Bordure 50*8*8 cm
	Canniveau	25*61*3 cm			
	Les Margelles				
	Bord Droit	33*61*3 cm - 5 cm 33*100*3 cm - 5 cm 33*120*3 cm - 5 cm	Angle Sortant	Rond BD Droit BD	Angle entrant Bord Droit
Bord Arrondie	33*61*3 cm - 5 cm 33*100*3 cm - 5 cm 33*120*3 cm - 5 cm	Angle Sortant	Rond BA Droit BA	Angle entrant Bord Rond	
				Margelle à Talon 61*33*3-1.2 cm	



Floor-Wall Tiles / DALLAGE

Finition Vieille "Tumbled"					
Le dallage	40,6*61*1.2 cm Opus 4 12 mm		Grand Format	40,6*61*1.2 cm - 3 cm Opus 4 12 mm - 3 cm Big Opus 15 mm 60*90*1.5 cm - 3 cm 60*60*1.5 - 3 cm	Plinthe 8*40,6*1.2 cm
	Petit Format :	10*10*1 cm 15*15*1.2 cm 20,3*20,3*1.2 cm 20,3*40,6*1.2 cm 40,5*40,5*1.2 cm	Les Pavés	10*10*3 cm - 5 cm 15*15*3 cm - 5 cm 20,3*20,3*3 cm - 5 cm 15*30*3 cm - 5 cm	Bordure 50*8*8 cm
Canniveau	25*61*3 cm				
Les Margelles					
Bord Droit	33*61*3 cm - 5 cm 33*100*3 cm - 5 cm 33*120*3 cm - 5 cm		Angle Sortant	Rond BD Droit BD	Angle entrant Bord Droit
Bord Arrondie	33*61*3 cm - 5 cm 33*100*3 cm - 5 cm 33*120*3 cm - 5 cm		Angle Sortant	Rond BA Droit BA	Angle entrant Bord Rond
				Margelle à Talon 61*33*3-1.2 cm	

SILVER 1ER CHOIX - 201



TILES



SLABS



BLOCK

Available Process



Honed



Polished



Brushed




Tumbled



Bevelled



Sawn



SILVER COMMERCIAL 200



TILES




SLABS




BLOCK

Available Process




Honed




Polished



Brushed




Tumbled



Bevelled



Sawn



INTERIEUR
AMENA
GEMENT



EXTERIEUR
AMENA
GEMENT



MARGELLE



DALLAGE

Floor-Wall Tiles / DALLAGE




Dallage


40.6*61*1.2 cm
Opus 4 12 mm

Margelle

61*33*3 cm



Floor-Wall Tiles / DALLAGE




Dallage
40.6*61*1.2 cm
Opus 4 12 mm

Margelle
61*33*3 cm

ADOUCI REBOUCHÉ 105/AR



Available Process



Honed



Polished



Brushed



Tumbled



Bevelled



Sawn



BLUE STONE (MARBLE) - 300



TILES




SLABS



BLOCK

Available Process




Honed




Polished




Brushed



Tumbled



Bevelled



Sawn



INTERIEUR
AMENAGEMENT



EXTERIEUR
AMENAGEMENT



MARGE



DALLE

Floor-Wall Tiles / DALLAGE

Finition Vieille "Tumbled"							
Le dallage :		Les Pavés :		Bordure			
	40,6*61*1,2 cm		10*10*3 cm - 5 cm				
	Opus 4 12 mm		15*15*3 cm - 5 cm				50*8*8 cm
			20,3*20,3*3 cm - 5 cm				
			15*30*3 cm - 5 cm			Canniveau	
Plinthe			15*LL*3 cm				25*61*3 cm
	8*40,6*1,2 cm						
Margelle							
Bord Droit							
	33*61*3 cm - 5 cm	Angle Sortant			Angle entrant		
	33*100*3 cm - 5 cm		Rond BD			Bord Droit	
	33*120*3 cm - 5 cm		Droit BD				
Bord Arrondie							
	33*61*3 cm - 5 cm	Angle Sortant			Angle entrant		
	33*100*3 cm - 5 cm		Rond BA				
	33*120*3 cm - 5 cm		Droit BA			Bord Rond	




Floor-Wall Tiles / DALLAGE

Finition Vieille "Tumbled"					
Le dallage :		Les Pavés :		Bordure	
	40,6*61*1.2 cm		10*10*3 cm - 5 cm		50*8*8 cm
	Opus 4 12 mm		15*15*3 cm - 5 cm		
Plinthe			20,3*20,3*3 cm - 5 cm	Canniveau	25*61*3 cm
			15*30*3 cm - 5 cm		
	8*40,6*1.2 cm		15*LL*3 cm		
Margelle					
Bord Droit					
	33*61*3 cm - 5 cm	Angle Sortant		Angle entrant	
	33*100*3 cm - 5 cm		Rond BD		Bord Droit
	33*120*3 cm - 5 cm		Droit BD		
Bord Arrondie					
	33*61*3 cm - 5 cm	Angle Sortant		Angle entrant	
	33*100*3 cm - 5 cm		Rond BA		Bord Rond
	33*120*3 cm - 5 cm		Droit BA		

VEINCUT - 700 TRAVERTIN



Available Process



MOSAIQUE - 500 PAREMENT



TILES




SLABS



BLOCK

Available Process



Honed




Polished



Brushed



Tumbled



Bevelled



Sawn



INTERIEUR
AMBIENT
GEMENT



EXTERIEUR
AMBIENT
GEMENT



MOSAÏQUE



DALLAGE

Floor-Wall Tiles / DALLAGE



Mosaïque sur Filet

Light 5*5 cm

Silver 5*5 cm

Mix 5*5 cm

Blanche 5*5 cm

Bluestone 5*5 cm

Scabas 5*5 cm

Light 2*2 cm

Silver 2*2 cm

Mix 2*2 cm

Blanche 2*2 cm

Bluestone 2*2 cm


Scabas 2*2 cm

Rosace 60*60 cm

Etoile Soleil



Floor-Wall Tiles / DALLAGE



Mosaïque sur Filet

Light 5*5 cm	Light 2*2 cm
Silver 5*5 cm	Silver 2*2 cm
Mix 5*5 cm	Mix 2*2 cm
Blanche 5*5 cm	Blanche 2*2 cm
Bluestone 5*5 cm	Bluestone 2*2 cm
Scabas 5*5 cm	Scabas 2*2 cm

Rosace 60*60 cm
Etoile Soleil

MOSAIQUE - 501 TUMBLED



TILES




SLABS



BLOCK


Available Process



Honed



Polished



Brushed




Tumbled



Bevelled



Sawn



MOSAIQUE - 502 BLUESTONE



TILES




SLABS



BLOCK


Available Process




Honed




Polished




Brushed



Tumbled



Bevelled



Sawn



INTERIEUR
AMBIEN
CEMENT



EXTERIEUR
AMBIEN
CEMENT



MOSAÏQUE



DALLAGE

Floor-Wall Tiles / DALLAGE

Mosaïque sur Filet

Light 5*5 cm	Light 2*2 cm
Silver 5*5 cm	Silver 2*2 cm
Mix 5*5 cm	Mix 2*2 cm
Blanche 5*5 cm	Blanche 2*2 cm
Bluestone 5*5 cm	Bluestone 2*2 cm
Scabas 5*5 cm	Scabas 2*2 cm

Rosace 60*60 cm
Etoile Soleil



BLUESTONE



Floor-Wall Tiles / DALLAGE

Parement sur Filet					
5*10 cm		2*5 cm		Z	
Light	401	Gris Foncé	405	Light	406
Mixte	402			Silver	407
Silver	403			Noir	408
Gris Foncé	404				

PAREMENT

LIGHT - SILVER - BLUESTONE

400

TILES

SLABS

BLOCK

Honed

Polished

Brushed

Tumbled

Bevelled

Sawn

MARGELLE POOL COPINGS



TILES




SLABS



BLOCK

Available Process




Honed




Polished




Brushed



Tumbled



Bevelled



Sawn



INTERIEUR
AMENAGE



EXTERIEUR
AMENAGE



MARGELLE



DALLAGE

Pool Copings / MARGELLE

MARGELLE

61x33x3cm-5cm

100x33x3cm-5cm

120x33x3cm-5cm


45-45/33x33x3cm-5cm




Floor-Wall Tiles / DALLAGE

Vasque rectangle 45*70*10 cm						
601	602	603	604			
Double vasque 45*120 cm						
Vasque Ronde diamètre 45 cm						
610	611	612	613	614	615	616
Receveur 90*90*5 cm						
Travertin	Silver	Blue Stone				
Receveur 90*90*5 cm Demi Rond						
Travertin						
Receveur 90*120*5 cm						
Travertin	Silver	Blue Stone				

VASQUE - 600



TILES



SLABS



BLOCK

Available Process



Honed



Polished



Brushed



Tumbled




Beveled




Sawn



LIGHT TRAVERTIN 401



Available Process



Honed




Polished



Brushed




Tumbled



Bevelled




Sawn



material type
application area
available size
layout type

travertine
wall
2-4 polygonal
rockface





SILVER TRAVERTIN

402

Available Process

Honed

Polished

Brushed


Tumbled

Bevelled


Sawn

material type
application area
available size
layout type


marble
wall
2-4 polygonal
rockface



**BLUE STONE
(MARBLE) - 403**




Available Process




Honed



Polished



Brushed



Tumbled



Bevelled




Sawn



material type
application area
available size
layout type


travertine
wall
2-4 polygonal
rockface





material type
application area
available size
layout type

marble
wall
2-4 polygonal
rockface



BEIGE MARBLE 404



Available Process



Honed



Polished



Brushed



Tumbled




Bevelled




Sawn



NOCHE TRAVERTIN 405




Available Process




Honed



Polished



Brushed




Tumbled



Bevelled




Sawn



material type
application area
available size
layout type


travertine
wall
2-4 polygonal
rockface





material type
application area
available size
layout type

travertine
 wall
 2-4 polygonal
 crazy paver



CRAZY PAVER 406




Available Process



Honed



Polished



Brushed



Tumbled




Bevelled




Sawn



WHITE COBBLE
800



Available Process



Honed



Polished



Brushed



Tumbled



Bevelled



Sawn



material type
application area
available size
layout type

dolomite
garden
2-4 / 4-6
tumbled




material type	granite
application area	garden
available size	2-4 / 4-6
layout type	tumbled

GRANITE 801




Available Process



Honed



Polished



Brushed



Tumbled



Bevelled




Sawn



MONALITH



MONALITH



PAYSAGE



PAYSAGE



AQUA PIERRE

AQUA PIERRE

Aqua
Stone



Caractéristiques principales :

- Transparent : ne modifie pas l'aspect du support.
- Haute résistance à l'eau : effet peillant durable.
- Ne forme pas de film : pénètre en profondeur dans le matériau.
- Protège contre les dépôts de calcaire, sel, poussière et pollution.
- Réduit l'encrassement et facilite le nettoyage.
- Empêche la formation de moisissures, efflorescences et de taches.
- Perméable à la vapeur d'eau : le support reste respirant.
- Prêt à l'emploi – aucun mélange requis.
- Base aqueuse – inodore.

Imprégnation hydrofuge à base d'eau, transparente, spécialement conçue pour la protection des pierres naturelles, travertins, bétons et supports minéraux.

5 litre e

Always Excellent



BALSTONE

Adres: Mermerciler Fabrikaları Kümesi, Mermerciler Sok. No:1
20330 Kocabaş Denizli

Telephone : +90 553 00 23 754
Email : contact@bal-stone.com

bal-stone.com

STONES FROM
Türkiye